INDEX TO VOLUME XXI

New species in blackface type

ABBOTT, E. V., Further notes on plant diseases in Peru, 1061–1071

Abstracts of papers presented at the twenty-second annual meeting of The American Phytopathological Society, Cleveland, Ohio, December 30, 1930, to January 1, 1931, inclusive, 103–132

Acronecrosis, potato, 596–598

Acropetal necrosis, potato, 599–603

Action, fungicidal, of sulphur, hydrogen sulphide as related to, 132

Aecidium cantensis, potato rust, in Peru, 1069

Aecium of Puccinia graminis, 107

Agglutination studies on Phytomonas malvacearum, 1181–1184

Alder, Didymosphaeria canker of, 913–918

ALEXANDER, THELMA, see MAY, CURTIS

Alfalfa, Cercospora zebrina, in Peru, 1070; dwarf of, a hitherto unreported disease, 71–75; mosaic, 122

ALLEN, T. C., Bacteria producing rot of apple in association with the apple maggot, Rhagoletis pomonella, 338

Alnus, rubra, Didymosphaeria oregonensis on, 913; sinuata, D. oregonensis on, 913; tenuifolia, D. oregonensis on, 913

Alternaria, longipes (E. & E.), n. comb., causing brown spot of tobacco, 641–660; **longipes,** morphology, 650–651; **longipes,** overwintering, 647–648; **longipes,** pathogenicity, 648–649; **longipes,** physiology, 653–658; **longipes,** taxonomy, 651–653; mali, causing rot of apples in storage, 1142; spp., causing rot of apples in storage, 1142, 1151; tenuis, causing rot of apples in storage, 1142

American bladder nut, Staphylea trifolia, corynose twig blight of, 1163–1171

American Phytopathological Society, abstracts of papers presented at the twenty-second annual meeting at Cleveland, Ohio, December 30, 1930, to January 1, 1931, inclusive, 103–132; report, twenty-second annual meeting, 561–574

Anasa wilt of cucurbits, 114

ANDERSON, BERNARD A., The toxicity of water-soluble extractives of western yellow pine to Lenzites sepiaria, 927–940

ANDERSON, H. W., see THORNBERRY, H. H.

Anecrotic mosaic, potato, 595

Anemone, Tranzschelia punctata on, 998

Anthracnose, of Ledum, caused by Elsinoë, 965–972; of strawberry, 739–744; of strawberry, caused by **Colletotrichum fragariae,** nov. sp., 113; of the jujube, 1185–1189

Antibiosis, of bacteria, to smuts and some other fungi, 843–863; of bacteria, to Ustilago zeae, 843, 881–890; of Bacterium D, 856; of Myxobacterium–1, 857, 861

Aphanomyces euteiches, cause of pea-root rot, use of fertilizers in reducing losses from, 116

Aphids, as vectors of leaf roll among sprouting potato tubers, 103–104; carriers of plant viruses, 199–212

Aphis spiraecae, vector of witches' broom on ocean spray, 924–925

Aplanobacter michiganense, color variations in, 559

Apple, bacterial rot associated with maggot, 338; canker, relation to environment, 1000; leaf scab, method of detecting and demonstrating early infections, 338; life cycle of the hairy-root organism on, in relation to pathogenesis, 110; new fruit-rot fungi attacking, 1141–1152; red cedar rusts, pathogenicity of, that occur on, 111; relation of fall applications of fungicides to scab control, 130; scab, control, results with new sulphur dusts, 131; scab, fungicidal action of dusts and sprays in control, 445–523; scab fungus, artificial infection of fruit with, 112; sooty-blotch fungus, cultural characters and host range of, 112; trees, experimental freezing of, 997–998

Application of seed disinfectants, effect of, rate and time of, on oats and wheat, 127
Apricots, green rot, 407–424
Arsenic, water-soluble, in spray materials, 131
Arsenical injury, the prevention of, to peach twigs and foliage in Virginia, 1204
Arthropods, root-feeding, relation to crown-gall infection on raspberry, 112
ARTHUR, JOSEPH C., et al., The plant rusts (Uredinales), book review, 1205–1207
Artificial infection of fruit with the apple-scab fungus, 112
ARZBERGER, EMIL GODFRIED, biography of, 345–346; obituary note, 576
ATWELL, E. A., Occurrence of Cadophora fastigiata in Canada, 761
Australian spotted wilt of tomatoes in Wisconsin, occurrence of, 106
Avocado, disease of, called sun blotch, 235–238

BACH, W. J., and J. J. TAUBENHAUS, The resistance of Malvaviscus conzattii (arboreus) to Phymatotrichum root rot, 120
Bacillus, amylovorus, pathogenicity of, on species of Juglans, 219–224; amylovorus, plants affected by, 425–435; aroideae, probable cause of black leg of tobacco seedlings, 973–978
Bacteria, antibiosis of, 843–863; antibiotic to Sorosporium reilianum, 885; antibiotic to Tilletia tritici, 885; antibiotic to Ustilago avenae, 885–890; antibiotic to U. levis, 885; antibiotic to U. zeae, 881–890; producing rot of apple in association with maggot, 338
Bacterial, blights, three, of beans, comparative histology of, in the seedling stage, 115; leaf spot of Viburnum, 907–912; leaf spot of V. dentatum, 909; leaf spot of V. opulus, 909; leaf spot of V. tomentosum, 909; pocket disease, sugar beets, comparison with crown gall, 21; pocket disease, sugar beets, external characteristics of, 18–20; pocket disease, sugar beets, internal characteristics of, 20; pocket disease, sugar beets, relation of wounds to disease incidence, 20–22
Bacteriology, bean mosaic, correlative studies on, and seed transmission of the virus, 116
Bacterium, B–1, antibiosis of, 850; B–1, cultural characteristics of, 849; B–1, morphology of, 849; B–1, production of enzymes by, 848; C–1, antibiotic to smuts, 851; cerasi, identity with Pseudomonas prunicola, 1091; citriputeale, identity with Ps. prunicola, 1091; D, antibiotic to Pyronema, 855; D, antibiotic to smuts, 851; D, antibiotic to Ustilago avenae, levis, and zeae, 855; D, cultural characters, 856; D, morphology of, 856; syringae, identity with Ps. prunicola and Bact. citriputeale, 1091
BAILEY, ALICE A., Effect of ultra-violet radiation upon representative species of Fusarium, 124
BAINES, R. C., see GARDNER, M. W.
BAMBERG, R. H., Bacteria antibiotic to Ustilago zeae, 881–890
Banana plant, Fusarium wilt, progress of, inside the rhizomes of, 121
BANFIELD, W. M., The relation of root-feeding arthropods to crown-gall infection on raspberry, 112; see RIKER, A. J.
Barberries and other pests, use of oxides of unsaturated hydrocarbons for the eradication of 126
Barley, spot blotch, in Peru, 1066–1067; stripe, in Peru, 1066
Basisporium, dry rot of dent corn as related to temperature and cob reaction, 129; gallarum, fungicidal efficiency of chemical dusts containing furfural derivatives in controlling, 1099–1113
Bean, extracts, in relation to Colleotrichum lindemuthianum, 124; mosaic, correlative studies on the bacteriology of, and seed transmission of the virus, 116; wilt, Pythium butleri cause of, 991–994
Beans, comparative histology of three bacterial blights of, in the seedling stage, 115; new disease of, 996; wilt of, caused by Pythium, 115
Beauveria, Bassiana and globulifera and Isaria farinosa, differences in pathogenicity of, 1123–1125; Bassiana and globulifera attacking corn borer, 1115–1118; Bassiana and globulifera, cultural

characters of, 1118–1123; Bassiana and globulifera, spore characters of, 1125–1126; Bassiana, distribution of, 1126–1127; Bassiana, persistence of, 1127

BELLING, JOHN, The use of the microscope, book review, 99–101

BEVER, W. M., see RAEDER, J. M.

Black, chaff, of wheat, sulphur dusting for the prevention of, 127; leg, of tobacco seedlings, 973–978; leg, potato, relation of seed-corn maggot, 387–406; root, of strawberries, 1041–1060; scorch, of date palm, 998

Bladder nut, American, corynose twig blight of, 126

Blight, Diaporthe, of larkspur, 77–81; twig, corynose, of the American bladder nut, 126

BLISS, DONALD E., Physiologic specialization in Gymnosporangium, 111

Blistering, water, of wound dressing, 1173–1180

Blister-rust, Kelm Mountain infestation, 919–921

Book review, Handbuch der Pflanzenkrankheiten, 1093–1094; Pathologie des Protoplasmas, 341; Phytopathologische Zeitschrift, 342; The plant rusts (Uredinales), 1205–1207; A textbook of plant physiology, 763–765; The use of the microscope, 99–101

Bordeaux, mixture, as a factor increasing drouth injury, 729–738; solubility of, 231

Botrytis, cinerea, causing rot of apples in storage, 1142; **mali**, n. sp., causing rot of apples in storage, 1142; **mali**, distinguished from B. cinerea, 1146, 1147

Bottom rot of cabbage, caused by Corticium vagum, 117

BRATLEY, C. O., Artificial infection of fruit with the apple-scab fungus, 112

BRENTZEL, W. E., see HASKELL, R. J.

BRESSMAN, E. N., Physiologic forms of bunt of wheat and varietal resistance, 108; Rye infected with bunt of wheat, 437–440

BROADFOOT, W. C., Preliminary experiments on control of cereal rusts by Kolo dust, 347–372

BROOKS, A. N., Anthracnose of strawberry caused by **Colletotrichum fragariae**, nov. sp., 113, 739–744; Crimp, a nematode disease of strawberries, 113

BROOKS, CHARLES, Effect of solid carbon dioxide upon transportation diseases, 103

Brooks fruit spot, 111

BROWN, A. M., see NEWTON, MARGARET

Brown spot of tobacco, caused by **Alternaria longipes** (E. & E.), n. comb., 641–660; control, 658; host range, 644; importance, 642–643; inoculation experiments, 645–647; symptoms, 643–644; varietal susceptibility, 644–645

BRUNER, S. C., see CIFERRI, R.

BRYAN, M. K., Color variations in Aplanobacter michiganense, 559

"Buckskin," a graft-infectious disease of cherry, 331–335

Bunt, of wheat, physiologic forms of, and varietal resistance to, 108; wheat, on rye, 437–440

BURLISON, W. L., see HOLBERT, J. R.

BURNETT, GROVER, and LEON K. JONES, The distribution of the latent virus in tubers of commercial potatoes, 104

BURNETT, L. C., and CHAS. S. REDDY, Seed-treatment and date-of-sowing experiments with six varieties of flax, 985–989

Cabbage, bottom rot of, caused by Corticium vagum, 117

Cadophora fastigiata, in Canada, 761

CALDWELL, RALPH M., Host specialization and parasitism of the genus Rhynchosporium, 109

Calla lily, corm treatments for, and gladiolus, 121

Callus, development of, under controlled conditions, 110

Canker, new, on alder, 913–918; treatment, for fire-blight control, 901–906

Canna edulis, Tylenchus similis in, 315

Carbon dioxide, solid, effect of, upon transportation diseases, 103

Carrot, blight, caused by Sclerotium rolfsii, 1129–1140

CARTER, J. E., see HEY, G. L.

Cavity fillings in trees, new methods for determining rate of decay in, 126
Celery, Cercospora apii, in Peru, 1070; late blight, two Septorias as a cause of, 115; mosaic, Commelina nudiflora, a monocotyledonous host of, 114
Cellulose, presence in smut sporidia, 847
Cephalosporium carpogenum, n. sp., causing rot of apples in storage, 1141–1144; distinct from C. malorum, 1144
Cercospora, apii on celery, in Peru, 1070; **bataticola**, n. sp., parasite of the sweet potato in America, 93–96; citrullina on watermelon, in Peru, 1070; leaf spot, sugar beets, in control of, comparative value of checking and drilling, 122; zebrina, on alfalfa, in Peru, 1070
Ceresan, seed treatment of flax with, 985–989
Chemical stimuli, effect of, on spore germination in Puccinia glumarum, 767–789
CHEN, H. K., see YU, T. F.
Cherry, "buckskin," a destructive graft-infectious disease of, 331–335
Chitin, presence in smut sporidia, 846
Chitinase, production by Bacterium B–1, 848
Chlorophyllase, contents, and plastid pigment of tobacco plants as influenced by three types of mosaic, 119
CHRISTENSEN, J. J., see IMMER, F. R.
CIFERRI, R., and S. C. BRUNER, **Cercospora bataticola**, n. sp., parasite of the sweet potato in America, 93–96
Citrus fruits, blue mold, in Peru, 1069
Cladosporium, herbarum, causing rot of apples in storage, 1142, 1149, 1150; **malorum**, n. sp., causing rot of apples in storage, 1142, 1146, 1148, 1149
CLARK, E. S., and WM. H. MARTIN, Effect of depth of planting and soil moisture on the development of rhizoctonia on the potato, 105
CLAYTON, E. E., Effect of seed treatments on seed longevity, 105
Cleveland meeting, American Phytopathological Society, report, 561–574
Clover, red, powdery mildew of, 122
COCHRAN, L. C., Two Septorias as a cause of late blight on celery, 115
Cold injury, 128
Colletotrichum, fragariae, anthracnose of strawberry caused by, 113; **fragariae**, causing anthracnose of strawberry, 739–744; lindemuthianum, bean extracts in relation to, 124
Color variation, Aplanobacter michiganense, 559
Colorado, distribution of soil fungi in, 1073–1081
Commelina nudiflora, a monocotyledonous host of celery mosaic, 114
Comparative, histology of three bacterial blights of beans in the seedling stage, 115; value of checking and drilling in the control of Cercospora leaf spot and yield of sugar beets, 122
Concentric necrosis, potato tuber, 604
Conference, cotton-root-rot, report of, College Station, Texas, 957–964
Coniothyrium, fuckelii, 1041–1060; sp., 261; spp., causing rot of apples in storage, 1141, 1151
Control, apple-scab, results with new sulphur dusts, 131; potato scab and rhizoctonia, through the use of disinfectants in fertilizers for, 104; yellow-dwarf, of onions, 123
COOK, H. T., Nature of powdery-mildew injury to snap beans in Virginia in 1930, 116
COOK, MELVILLE T., New virus diseases in Porto Rico, 124; Undescribed symptoms of mosaic in Porto Rico tobacco, 117
COOLEY, J. S., see CRENSHAW, J. H.; and ELMER V. SHEAR, Relation of perennial apple canker to its environment, 1000
Copper sulphate, curing exanthema of trees with, 995–996
Corm treatments for gladiolus and calla lily, 121
Corn, borer, destructive fungous disease of, 124; dent, Basisporium dry rot of, as related to temperature and cob reaction, 129; dent, hybrid strains of, relation of seed quality to yielding ability and disease resistance in, 128; pathogenicity of Beauveria Bassiana, B. globulifera, and Isaria farinosa to, 1115–1128; Phoma zeicola on, in Peru, 1067; Phyllachora

maydis on, in Peru, 1067; rust, heterothallism in, 751–753; selfed lines, reaction to smut, 666–669; -smut losses, 663–666; -smut organism, nodal infection with, 129; -smut studies, 661–673; sweet, resistance in, to Diplodia zeae, 128
Cornstalk rot and ear rot, 129
Correlative studies on the bacteriology of bean mosaic and seed transmission of the virus, 116
Corticium, centrifugum, causing rot of apples in storage, 1142; vagum, cause of bottom rot of cabbage, 117; vagum, stem rot and black scab of potatoes, in Peru, 1069; vagum, stem rot of miscellaneous crops, in Peru, 1070
Coryneum, foliicolum, causing rot of apples in storage, 1141; microstictum var. **staphyleae**, the cause of a twig blight of Staphylea trifolia, 1163–1171
Corynose twig blight of the American bladder nut, 126
COTTER, RALPH U., see LEVINE, MOSES N.
Cotton, development of root rot in, planted at different dates, 120; disease of young plants caused by Sclerotium rolfsii, 1191–1194; Fusarium wilt, in Peru, 1061–1063; mildew of, in Peru, 1063; -root-rot fungus, Phymatotrichum omnivorum, sclerotia, laboratory production of, 551; root rot, report conference, College Station, Texas, 957–964
Cowpea, development of Heterodera radicicola in roots, 996; Fusarium wilt of, 979–983
CRAIGIE, J. H., Sex in rust fungi, 1001–1040
CRENSHAW, J. H., and J. S. COOLEY, Experimental freezing of apple trees, 997–998
Crimp, a nematode disease of strawberries, 113
Cronartium ribicola, white pines resistant to, in Kelm Mountain infestation, 921
Crown gall, development of, under controlled conditions, 110; infection, on raspberry, relation of root-feeding arthropods to, 112
Cucumbers, forcing endohydrosis of and its control, 117
Cucurbits, anasa wilt of, 114
Cultural, and inoculation experiments with Taphrina Potentillae, 121; characteristics and serological reactions of type colonies of Phytomonas beticola, 33–36; characters and host range of the apple sooty-blotch fungus, 112
Culture filtrates, toxic action of, in pea wilt, 812–822
CUMMINS, GEORGE B., Heterothallism in corn rust and effect of filtering the pycnial exudate, 751–753
Curly top, in tomatoes, graft transmissions of, 998–999; of sugar beets, resistance of Phaseolus to, 997; virulence of attenuated virus of, restored by Stellaria media, 123
Cyperus rotundus, Tylenchus in, 315
Cytology, virus-diseased hosts, 589–590

Damping-off of tomatoes, seed treatment for, 105
DANA, B. F., Soil cultures for the laboratory production of sclerotia in Phymatotrichum omnivorum, 551–556; and H. E. REA, Development of root rot in cotton planted at different dates, 120; and S. E. WOLFF, The occurrence of violet root rot in central Texas, 557–558
Date palm, black scorch of, 998
DAVIS, GLEN N., see MELHUS, I. E.
DAVIS, W. H., Corynose twig blight of the American bladder nut, 126; Corynose twig blight of the American bladder nut, Staphylea trifolia, 1163–1171
DAWSON, PAUL R., see EZEKIEL, WALTER N.
Decay, rate of, new methods for determining, behind cavity fillings in trees, 126
DEREMIAH, J. W., see ZELLER, S. M.
DESAI, M. K., see UPPAL, B. N.
Destructive fungous disease of the corn borer, 124
Development, of crown gall, hairy root, and callus under controlled conditions, 110; of root rot in cotton planted at different dates, 120
Diaporthe, arctii, description of, 79–80; arctii, identity of, 80–81; arctii, the cause of a larkspur blight, 80–81; blight of larkspur, 77–81

Didymella applanata, on raspberry, 247–288

Didymosphaeria oregonensis, n. sp., a new canker organism on alder, 913–918; description of, 915–916; diagnosis of, 916

Diplodia, natalensis, rot of oranges, in Peru, 1069; zeae, fungicidal efficiency of chemical dusts containing furfural derivatives in controlling, 1099–1113; zeae, resistance in sweet corn to, 128

Disease, Dutch elm, in Ohio, 125; dwarf, of alfalfa, 71–75; resistance, and yielding ability, of hybrid strains of dent corn, relation of seed quality to, 128

Diseases, wheat, in Tennessee, 127

Disinfectants, dust, a machine for the treatment of small samples of seed grain with, 1203; seed, effect of time and rate of application of, on oats and wheat, 127; use of, in fertilizers for the control of potato scab and rhizoctonia, 104

Distribution, of the latent virus in tubers of commercial potatoes, 104; yellow dwarf, of onions, 123

DOAK, K. D., Effect of mineral nutrition on the reaction of wheat varieties to leaf rust, 108

DOOLITTLE, S. P., Commelina nudiflora, a monocotyledonous host of celery mosaic, 114; and C. B. SUMNER, Occurrence of the Australian spotted wilt of tomatoes in Wisconsin, 106

Downy mildew of sorghum and maize in Egypt, 239–240

DRECHSLER, CHARLES, book review, Pathologie des Protoplasmas, by Ernst Küster, 341; book review, Phytopathologische Zeitschrift, edited by E. Schaffnit, 342

Drouth injury, Bordeaux mixture as a factor increasing, 729–738

Dusting, sulphur, for the prevention of a black chaff of wheat, 127; with Kolo dust for the control of cereal rusts, 347–372

Dusts, fungicidal action, apple-scab control, 445–523

Dutch elm disease in Ohio, 125

Dwarf, alfalfa, a hitherto unreported disease, 71–75; alfalfa, comparison with bacterial wilt, 74–75; alfalfa, economic importance, 72; alfalfa, history and geographic distribution, 71–72; alfalfa, symptoms, 72–74

Ear rot and cornstalk rot, 129

Effect, of chemical stimuli on spore germination in Puccinia glumarum, 767–789; of depth of planting and soil moisture on the development of rhizoctonia on the potato, 105; of different pressures and of different types of lime in potato spraying, 105; of mineral nutrition on the reaction of wheat varieties to leaf rust, 108; of moisture on spore germination in Puccinia glumarum, 767–789; of pea wilt on ash content of host, 808; of pea wilt on osmotic value of host tissues, 808; of pea wilt on rate of drying of host tissues, 806–808; of physical stimuli on spore germination in Puccinia glumarum, 767–789; of seed treatments on seed longevity, 105; of shading on the rate of development of tomato yellows, 83–87; of solid carbon dioxide upon transportation diseases, 103; of temperature and light on the development of the uredinial stage of Puccinia graminis, 109; of temperature on germination of spores in Puccinia glumarum, 767–789; of time and rate of application of seed disinfectants on oats and wheat, 127; of ultra-violet radiation upon representative species of Fusarium, 124; of wounds on infection with pea wilt (Fusarium), 799

ELCOCK, HARRY A., Phytomonas beticola, 13–40

Elm, Dutch disease, in Ohio, 125

Elsinoë ledi, n. comb., cause of anthracnose of Ledum, 965–972

ELZE, D. L., The relation between insect and virus as shown in potato-leaf roll and a classification of viroses based on this relation, 675–686

Emilia sagittata, transmission of pineapple yellow-spot virus by Thrips tabaci to, 999

Endohydrosis of forcing cucumbers and its control, 117

Environment, effect of, on diseased hosts, 588–589
Enzyme production by antibiotic bacteria, 848
Epicoccum granulatum, causing rot of apples in storage, 1142, 1151
Epiphytology of tobacco mosaic in North Carolina, 118
Epiphytotics, wheat bunt, 687–694
Eradication of barberries and other pests, by use of oxides of unsaturated hydrocarbons, 126
Erigeron yellows, 373–386
Erysiphe, graminis, effect of ultra-violet-light radiations on infection by, 695–699; Malachrae, powdery mildew of cotton, in Peru, 1063
ESAU, KATHERINE, see MACKIE, W. W.
Euchlaena mexicana, Sclerospora graminicola on, 337
Exanthema of trees, curing with copper sulphate, 995–996
Exoascus deformans, peach-leaf curl, in Peru, 1070
EZEKIEL, WALTER N., see TAUBENHAUS, J. J.; and J. J. TAUBENHAUS, A disease of young cotton plants caused by Sclerotium rolfsii, 1191–1194; J. J. TAUBENHAUS, and J. F. FUDGE, Nutritional studies on Phymatotrichum omnivorum, 120; D. C. NEAL, PAUL R. DAWSON, and E. B. REYNOLDS, Report of the fourth annual cotton-root-rot conference, 957–964

FAWCETT, HOWARD S., The importance of investigations on the effects of known mixtures of microorganisms, 545–550; see KLOTZ, L. J.
FENNE, S. B., Field studies on the ring-spot disease of Burley tobacco in Washington County, Virginia, 891–899
Fertilizers, use of, in reducing losses from pea-root rot caused by Aphanomyces euteiches, 116
Figs, limb blight of, due to Sclerotinia sclerotiorum, 1195–1197
Fire blight, canker, treatment with zinc chloride, 901–906; control and canker treatment, 901–906; of Spirae Vanhouttei, natural infections on, 89–91; plants affected by, 425–435; spread by meteoric water, 905
Flax, seed treatment of, 985–989
FLOR, H. H., Indications of heterothallism in Tilletia tritici, 107
Four apparently undescribed mosaics which go to tobacco, 118
Frechou, observations on the germination of Sclerospora oospores, 441–443
Freezing, of apple trees, 997–998
FUDGE, J. F., see EZEKIEL, WALTER N.
Fungicides, fall applications of, in relation to apple-scab control, 130; sulphur, toxicity of, relation of pentathionic acid and its constituents to, 130
Fungous disease, destructive, of the corn borer, 124
Furfural derivatives, fungicidal efficiency of chemical dusts containing 1099–1113
Further studies, on reaction of corn to smut, 661–673; on virus purification, 118
Fusarium, conglutinans var. **betae,** nov. var., classification of, 66–67; **conglutinans** var. **betae,** nov. var., host range, 70; **conglutinans** var. **betae,** nov. var., physiology of, 67–69; **conglutinans** var. **betae,** nov. var., the cause of sugar-beet yellows, 59–70; **conglutinans** var. **betae,** nov. var., virulence of, 69–70; effect of ultra-violet radiation upon representative species of, 124; martii-minus, tuber rots of potatoes, in Peru, 1069; orthoceros, effect of amount of inoculum, 801–803; orthoceras, wilt of peas, 791–796; solani, tuber rots of potatoes, in Peru, 1069; spp., causing rot of apples in storage, 1142, 1151; wilt, of cowpea, seed transmission of, 979–983; wilt of peas, inoculated into wounds, 827–833; wilt, progress of, inside the rhizomes of banana plants, 121

GARDNER, M. W., and R. C. BAINES, Cultural characters and host range of the apple sooty-blotch fungus, 112
Germination of wheat stem-rust teliospores formed in the greenhouse, 108

Gibberella saubinetii, fungicidal efficiency of chemical dusts containing furfural derivatives in controlling, 1099–1114; inheritance of the reaction of maize to, 615–639

Ginseng, drouth injury of, increased by Bordeaux mixture, 729–738

Gladiolus, corm treatments for, and calla lily, 121

GLASGOW, H., see STEWART, F. C.

GLASS, H. B., see WILLIAMS, O. B.

Gloeosporium perennans, causing rot of apples in storage, 1141

GODFREY, G. H., The host plants of the "burrowing" nematode, Tylenchus similis, 315–322; Some technique used in the study of the root-knot nematode, Heterodera radicicola, 323–329; Tylenchus dipsaci on Hypochaeris radicata in Hawaii, 759–760; and JULIETTE OLIVEIRA, Developmental stages of Heterodera radicicola in pineapple and cowpea roots, 996

GOLDSWORTHY, M. C., and RALPH E. SMITH, Studies on a rust of clingstone peaches in California, 133–168

GOODDING, L. N., **Didymosphaeria oregonensis,** n. sp., a new canker organism on alder, 913–918

Graft transmission of curly top in tomatoes (tomato yellows), 998–999

GREANEY, F. J., Sulphur dusting for the prevention of a black chaff of wheat, 127

GROVES, A. B., Natural fire-blight infections on Spiraea Vanhouttei, 89–91

Growth rate of tomato plants affected by yellows, 106

Gymnosporangium, physiologic specialization in, 111; sp., sex in, 1001–1040

HAENSLER, C. M., The use of fertilizers in reducing losses from pea-root rot caused by Aphanomyces euteiches, 116

Hainesia lythri, 1041–1060

Hairy root, development of, under controlled conditions, 110; life cycle of organism on apple, in relation to pathogenesis, 110

HAMILTON, J. M., Studies of the fungicidal action of certain dusts and sprays in the control of apple scab, 445–523

HANNA, W. F., Nuclear association in the aecium of Puccinia graminis, 107; and W. POPP, Relationship of the oat smuts, 109

HARTER, L. L., and W. J. ZAUMEYER, Pythium butleri—the cause of a bean wilt, 991–994; A wilt of beans caused by Pythium, 115

HARVEY, R. B., Use of oxides of unsaturated hydrocarbons for the eradication of barberries and other pests, 126

HASKELL, R. J., R. C. ROSE, W. E. BRENTZEL, E. A. WALKER, and WALDO KIDDER, A survey for stinking smut in wheat, 126

HASTINGS, E. G., William Harmon Wright, 243–246

Helicobasidium purpureum, perfect stage, violet root rot, Texas, 557

Helminthosporium, gramineum, barley stripe, in Peru, 1066; oryzae, black point of rice, in Peru, 1067; sativum, spot blotch of barley, in Peru, 1066–1067; species causing target blotch of sugar cane, description of, 46–48; species causing target blotch of sugar cane, growth of, in cane-juice agar, 48–51; species causing target blotch of sugar cane, growth of, in cornmeal-agar, 48; species causing target blotch of sugar cane, growth of, in Czapek's agar, 48; species causing target blotch of sugar cane, inoculation experiments with, 51–54

HENDERSON, R. G., Transmission of tobacco ring spot by seed of Petunia, 225–229

HENDERSON, W. J., Varietal susceptibility, distribution, and control of yellow dwarf of onions, 123

Heterodera, radicicola, development in pineapple and cowpea roots, 996; radicicola, technique, 323

Heterothallism, in corn rust, 751–753; in Phytophthora, 941–955; Tilletia tritici, indications of, 107

HEUBERGER, J. W., and A. J. MOYER, In-

fluence of mosaic infection on tomato yields, 745–749

HEY, G. L., and J. E. CARTER, The effect of ultra-violet radiations on the vegetative growth of wheat seedlings and their infection by Erysiphe graminis, 695–699

Hibiscus sabdariffa, a disease of, caused by Rhodochytrium spilanthidis, 1201–1202

HILDEBRAND, E. M., The life cycle of the hairy-root organism on apple in relation to pathogenesis, 110

Histology, comparative, of three bacterial blights of beans in the seedling stage, 115

HOCKENYOS, GEORGE L., Solubility of Bordeaux, 231–234

HOGGAN, ISMÉ A., Further studies on aphid transmission of plant viruses, 199–212

HOLBERT, J. R., see SMITH, A. L.; and W. L. BURLISON, Cold injury, 128

HOLMES, FRANCIS O., Local lesions of mosaic in Nicotiana tabacum, 119

Holodiscus discolor, witches' broom of, 923–925

HOLTON, C. S., Hybridization and segregation in the oat smuts, 835–842; The relation of physiologic specialization in Tilletia to recent epiphytotics of bunt in durum and Marquis wheats, 687–694

Honeydew melons, sun scald of, result of defoliation by leaf blight, 97–98

Hormodendron cladosporioides, causing rot of apples in storage, 1142, 1149, 1150

HORNE, W. T., see RAWLINS, T. E.; and E. R. PARKER, The avocado disease called sun blotch, 235–238

HORSFALL, JAMES G., Seed treatment for damping-off of tomatoes, 105

Host, morbid anatomy, potato viruses, 581–584; physiology, potato viruses, 581–584; range and cultural characters of the apple sooty-blotch fungus, 112; range, potato viruses, 584–586; specialization and parasitism of the genus Rhynchosporium, 109

Hosts, diseased, effect of environment on, 588–589

HOWARD, N. O., obituary note, 576

HURD-KARRER, ANNIE M., book review, A text-book of plant physiology, 763–765

HURT, R. H., The prevention of arsenical injury to peach twigs and foliage in Virginia, 1204

Hybridization, between Puccinia graminis tritici and P. graminis secalis, 106; of oat smuts, 835–842

Hydrocarbons, unsaturated, oxides of, for the eradication of barberries and other pests, 126

Hydrogen,-ion, influence of concentration on Penicillium italicum and P. digitatum, 169–198; sulphide, as related to the fungicidal action of sulphur, 132

Hylemyia cilicrura, seed-corn maggot, in relation to potato black leg, 387–406

Hypochaeris radicata, Tylenchus dipsaci on, in Hawaii, 759–760

Hystrix hystrix infected by leaf smut, 241

ILLINGWORTH, J. F., Yellow spot of pineapple in Hawaii, 865–880

IMMER, F. R., and J. J. CHRISTENSEN, Further studies on reaction of corn to smut and effect of smut on yield, 661–673

Indications of heterothallism in Tilletia tritici, 107

Infection, artificial, of fruit, with the apple-scab fungus, 112; effect of temperature on, **Alternaria longipes,** n. comb., 649–650; method, **A. longipes,** 650; nodal, with the corn-smut organism, 129

Infections, Spiraea Vanhouttei, by fire blight, 89–91

Inheritance of the reaction of maize to Gibberella saubinetii, 615–639

Injury, powdery-mildew, nature of, to snap beans in Virginia in 1930, 116

Inoculation, and cultural experiments, with Taphrina Potentillae, 121; of peas through wounds with Fusarium wilt, 827–833

Inoculum, effect of amount of, in pea wilt, 801–803

Insect, and virus, relation, in potato leaf

roll, 675–684; vectors, of tobacco ring spot, 893–894
Insects, various, as possible vectors of pineapple yellow spot, 873–878
Ipomoea batatas, Tylenchus in, 315
Isaria farinosa, differences in pathogenicity to corn borer in comparison with Beauveria Bassiana and B. globulifera, 1123–1124

JAGGER, IVAN C., and G. W. SCOTT, Melons resistant to powdery mildew, 113
JENKINS, A. E., Additional data on range and prevalence of Lima-bean scab, 559
JOHNSON, DELIA E., The antibiosis of certain bacteria to smuts and some other fungi, 843–863
JOHNSON, E. M., see VALLEAU, W. D.; and W. D. VALLEAU, Black leg of tobacco seedlings, 973–978
JOHNSON, THORVALDUR, Germination of wheat stem-rust teliospores formed in the greenhouse, 108; see NEWTON, MARGARET
JOHNSTON, C. O., Another host for Ustilago striaeformis (Westd.) Niessl, 241; and E. B. MAINS, Relative susceptibility of varieties of sorghum to rust, Puccinia purpurea, 525–543
JONES, LEON K., see BURNETT, GROVER
Juglans, pathogenicity of Bacillus amylovorus on, 219–224
Jujube, anthracnose of, 1185–1189

KEITT, G. W., Fifth progress report on studies of fall applications of fungicides in relation to apple-scab control, 130; see RIKER, A. J.
KENDRICK, JAMES B., Seed transmission of cowpea Fusarium wilt, 979–983
KIDDER, WALDO, see HASKELL, R. J.
KLOTZ, L. J., and H. S. FAWCETT, Black scorch of the date palm, 998
KOCH, L. W., Spur blight of raspberries in Ontario caused by Didymella applanata, 247–288
KOEHLER, BENJAMIN, Effect of time and rate of application of seed disinfectants on oats and wheat, 127
Küster, Ernst, Pathologie des Protoplasmas, book review, 341

LACKEY, C. F., Virulence of attenuated curly-top virus restored by Stellaria media, 123
Larkspur, Diaporthe blight of, 77–81
Late blight of celery, two Septorias as a cause on, 115
LAYTON, DUKE V., and J. J. WILSON, Three new wilt-resistant varieties of watermelons, 114
LEACH, J. G., Further studies on the seed-corn maggot and bacteria with special reference to potato black leg, 387–406
Leaf, blight, relation of, to sun scald of honeydew melons, 97–98; roll, aphids as vectors, among sprouting potato tubers, 103–104; rust, wheat varieties, reaction of, effect of mineral nutrition on, 108; spot, bacterial, of Viburnum, 907–912; spot, Cercospora sugar beets, comparative value of checking and drilling in control of, 122
LECLERG, E. L., Distribution of certain fungi in Colorado soils, 1073–1081; phytopathological note, The relation of leaf blight to sun scald of honeydew melons, 97–98
Ledum, anthracnose of, caused by Elsinoë, 965–972
LEFEBVRE, C. L., A destructive fungous disease of the corn borer, 124; Preliminary observations on two species of Beauveria attacking the corn borer, Pyrausta nubilalis Hübner, 1115–1128
Lenzites sepiaria, toxicity of western yellow pine extractives to, 927–940
LEONIAN, LEON H., Heterothallism in Phytophthora, 941–955
Leptosphaeria coniothyrium, 261, 1041–1060
Lesions, local, mosaic, in Nicotiana tabacum, 119
LESLEY, J. W., see SHAPOVALOV, MICHAEL
LEVINE, MOSES N., and RALPH U. COTTER, A synthetic production of Puccinia graminis hordei F. and J., 107
Life cycle, of the hairy-root organism on apple in relation to pathogenesis, 110

Light and temperature, effect of, on the development of the uredinial stage of Puccinia graminis, 109

Lightning, injury of potatoes caused by, 213–218

Lima-bean scab, additional data on range and prevalence, 559

Lime, effect of different pressures and of different types of, in potato spraying, 105

LIMING, O. NEAL, The relation of pentathionic acid and its constituents to the toxicity of sulphur fungicides, 130; see MAY, CURTIS

LINFORD, M. B., Further studies of transmission of the pineapple yellow-spot virus by Thrips tabaci, 999; Streak, a virus disease of peas transmitted by Thrips tabaci, 999; Studies of pathogenesis and resistance in pea wilt caused by Fusarium orthoceros var. pisi, 797–826; Transpirational history as a key to the nature of wilting in the Fusarium wilt of peas, 791–796; Wound inoculation in relation to resistance in the Fusarium wilt of peas, 827–833

Local lesions of mosaic in Nicotiana tabacum, 119

LONG, W. H., Data to be noted in studying heart rots of living trees, 1199–1200

Longevity of seed, effect of seed treatments on, 105

LONGLEY, A. E., book review, The use of the microscope, 99–101

MACKIE, W. W., a new disease of maize and beans, 996; and KATHERINE ESAU, A preliminary report on resistance to curly top of sugar beets in bean hybrids and varieties, 997

MACMILLAN, H. G., Turgescence and rupture of potato tuber, 701–703

MCCALLAN, S. E. A., and FRANK WILCOXON, Hydrogen sulphide as related to the fungicidal action of sulphur, 132

MCCLINTOCK, J. A., Cross-inoculation experiments with Erigeron yellows and peach rosette, 373–386; The relation of canker treatment to fire-blight control, 901–906

McGinty, A. T., Professor McGinty re Pharmacien Frechou, 760–761

MCINDOE, K. G., The inheritance of the reaction of maize to Gibberella saubinetii, 615–639

MCKINNEY, H. H., Four apparently undescribed mosaics which go to tobacco, 118; Further studies on virus purification, 118

Macrosporium cucumerinum, leaf blight, of honeydew melons, relation to sun scald of, 97–98

Maggot, seed-corn, relation to potato black leg, 387–406

MAINS, E. B., see JOHNSTON, C. O.

Maize, downy mildew of, in Egypt, 239–240; new disease of, 996

Malvaviscus conzattii (arboreus), resistance of, to Phymatotrichum root rot, 120

MARLOTH, RAIMUND H., Influence of hydrogen-ion concentration and of sodium bicarbonate and related substances on Penicillium italicum and P. digitatum, 169–198

MARSHALL, RUSH P., Rubber dressing for tree wounds, 1089–1091; Water blistering of wound dressings, 1173–1180

MARTIN, ELLA M., Cultural and inoculation experiments with Taphrina Potentillae, 121

MARTIN, WM. H., see CLARK, E. S.; The use of disinfectants in fertilizers for the control of potato scab and rhizoctonia, 104

MAXIMOV, N. A., A textbook of plant physiology, book review, 763–765

MAY, CURTIS, O. N. LIMING, and THELMA ALEXANDER, Dutch elm disease in Ohio, 125

MELANDER, LEONARD W., The effect of temperature and light on the development of the uredinial stage of Puccinia graminis, 109

MELCHERS, L. E., Downy mildew of sorghum and maize in Egypt, 239–240

MELHUS, I. E., and EDGAR F. VESTAL, The comparative value of checking and drilling in the control of Cercospora leaf spot and yield of sugar beets, 122; and

GLEN N. DAVIS, Nodal infection with the corn-smut organism, 129
Melilotus alba, a host for ring spot, 894
Melons resistant to powdery mildew, 113
Methods, for determining rate of decay behind cavity fillings in trees, 126; of classification of plant viruses, 577–613
Microdiplodia sp., causing rot of apples in storage, 1141, 1150, 1151
Microorganisms, effects of known mixtures, 545–550
Mildew, downy, of sorghum and maize, in Egypt, 239–240; powdery, of red clover, 122
MILLER, B. S., see REYNOLDS, E. S.
MILLER, P. R., Pathogenicity of three red-cedar rusts that occur on apple, 111
MILLS, W. D., Method of detecting and demonstrating early leaf infections of apple scab, 338
Mixed infection, results of, in pea wilt, 798
Moisture, effect of, on spore germination in Puccinia glumarum, 767–789
Monocotyledonous plants resistant to Phymatotrichum, 119
MORSE, WARNER JACKSON, In memoriam, 1095–1098
Mosaic, alfalfa, 122; anecrotic, potato, 595; bean, correlative studies on the bacteriology of, and seed transmission of the virus, 116; celery, Commelina nudiflora, a monocotyledonous host of, 114; in Nicotiana tabacum, local lesions of, 119; of tomato, influence of, on yields, 745–749; three types of, influence on plastid pigment and chlorophyllase contents of tobacco plants, 119; tobacco, epiphytology of, in North Carolina, 118; undescribed symptoms of, in Porto Rico tobacco, 117
Mosaics, four, apparently undescribed, which go to tobacco, 118
MOYER, A. J., see HEUBERGER, J. W.
Mucor piriformis, causing rot of apples in storage, 1141
Mycosphaerella, rubina, 255; tulasnei, causing rot of apples in storage, 1141
Myxobacterium, cultural characters of, 859
Myxobacterium–1, antibiosis of, 857
Nature of powdery-mildew injury to snap beans in Virginia in 1930, 116
NEAL, D. C., see EZEKIEL, WALTER N.
Necrosis, acropetal, potato, 599–603; concentric, potato tuber, 604; phloem parenchyma, potato tuber, 604; phloem, potato, 595; top, potato, 596–598
NELSON, RAY, Correlative studies on the bacteriology of bean mosaic and seed transmission of the virus, 116; Endohydrosis of forcing cucumbers and its control, 117
Nematode, crimp, a disease of strawberries, 113; root knot, technique, 323
Netnecrosis, pseudo-, potato, 604
New virus diseases in Porto Rico, 124
NEWTON, MARGARET, T. JOHNSON, and A. M. BROWN, Hybridization between Puccinia graminis tritici and P. graminis secalis, 106
Nicotiana tabacum, mosaic in, local lesions of, 119
NIEVES, RAIMUNDO, Resistencia comparativa a la Tilletia levis Kühn del trigo, en la Argentina, 705–727
Nodal infection with the corn-smut organism, 129
Nodule production on etiolated vetch seedlings, 1083–1085
Nuclear association in the aecium of Puccinia graminis, 107
Nut grass, Tylenchus in, 315
Nutrition, mineral, effect of, on the reaction of wheat varieties, to leaf rust, 108
Nutritional studies on Phymatotrichum omnivorum, 120

Oat smuts, hybrids of, 835–842; relationship of, 109
Oats, and wheat, effect of time and rate of application of seed disinfectants, 127; stem rust, in Peru, 1063–1066
Occurrence of the Australian spotted wilt of tomatoes in Wisconsin, 106
Ocean spray, Holodiscus discolor, witches' broom of, 923–925
Oidium, leucoconium, peach mildew, in Peru, 1070; sp., powdery mildew of miscellaneous crops in Peru, 1070; sp.,

powdery mildew of potatoes, in Peru, 1069
OLIVEIRA, JULIETTE, see GODFREY, G. H.
Onions, yellow dwarf of, varietal susceptibility to, distribution and control of, 123
Oospora sp., causing rot of apples in storage, 1141, 1151
Orange, Diplodia natalensis on, in Peru, 1096
ORTON, WILLIAM ALLEN, biography of, 1–11; obituary note, 575
Overwintering, **Alternaria longipes**, n. comb., 647–648; Phytomonas beticola, in the galls of sugar beet and the soil, 22–27
Oxides, of unsaturated hydrocarbons, for the eradication of barberries and other pests, 126

Pacific division of The American Phytopathological Society, report of the fifteenth annual meeting of, 995–1000
PALM, B. T., A disease of Hibiscus sabdariffa caused by Rhodochytrium, 1201–1202
Panicum miliaceum, Sclerospora graminicola relations, 338
Papaya, Fusarium wilt, in Peru, 1070
Parasite, **Cercospora bataticola**, n. sp., of the sweet potato in America, 93–96
Parasitism and host specialization of the genus Rhynchosporium, 109
PARKER, E. R., see HORNE, W. T.
PATCH, EDITH M., Warner Jackson Morse, 1872–1931, 1095–1098
Pathogenicity, and virulence, of R and S types of Phytomonas beticola, 36–39; of three red-cedar rusts that occur on apple, 111
Pathologie des Protoplasmas, book review, 341
Pea, root rot, caused by Aphanomyces euteiches, use of fertilizers in reducing losses from, 116; streak, transmission by Thrips tabaci, 999; wilt, chemical effect of, on soil, 804; wilt, effect of amount of inoculum, 801–803; wilt, effect of, on osmotic value of host tissues, 808; wilt, effect of, on rate of drying of host tissues, 806–808; wilt, in pure culture in tubes, 798; wilt, toxic action of culture filtrates, 812–822
Peach, leaf curl, in Peru, 1070; mildew, in Peru, 1070; rosette, 373–386; -rust fungus, relation to prune-rust fungus, Transchelia punctata, 163; the prevention of arsenical injury to twigs and foliage of, 1204
Peaches, clingstone, studies on a rust of, 133–168
Peas, wilting of, by Fusarium, 791–796
Pectin, presence in smut sporidia, 846
Pectinase, production of Bacterium B–1, 848
Penetration and toxicities of petroleum-oil sprays, 130
Penicillium, Bacterium D antibiotic to, 855; digitatum, influence of hydrogen-ion concentration and sodium bicarbonate on, 169–198; expansum, causing rot of apples in storage, 1141; italicum, blue mold of citrus fruits, in Peru, 1069; italicum, influence of hydrogen-ion concentration and sodium bicarbonate on, 169–198; martensii, causing rot of apples in storage, 1142; olivino-viride, causing rot of apples in storage, 1141; puberulum, causing rot of apples in storage, 1141; verrucosum, causing rot of apples in storage, 1141; viridicatum, causing rot of apples in storage, 1142
Pennisetum typhoideum, Sclerospora graminicola oospores from, 337
Pentathionic acid and its constituents, relation of, to the toxicity of sulphur fungicides, 130
Peru, plant diseases in, 1061–1071
Pestalozzia hartigii, causing rot of apples in storage, 1141
PETERSON, P. D., Plastid pigment and chlorophyllase contents of tobacco plants as influenced by three types of mosaic, 119
Petiole galls, sugar beets, caused by Phytomonas beticola, 20
Petroleum-oil sprays, penetration and toxicities of, 130
Petunia seed, transmission of tobacco ring spot by, 225–229
Pezizella lythri, 1041–1060

Phaseolus, resistance to curly top of sugar beets, 997
Phloem, necrosis, potato, 595; parenchyma, necrosis, potato tuber, 604
Phoma, betae, 289; sp., 261; spp., causing rot of apples in storage, 1141, 1151; zeicola on corn, in Peru, 1067
Phyllachora maydis on corn, in Peru, 1067
Phymatotrichum, omnivorum, cotton-root-rot conference, 957–964; omnivorum, nutritional studies on, 120; omnivorum, sclerotia, laboratory production of, 551–556; root rot, resistance of Malvaviscus conzattii (arboreus) to, 120; root rot, resistance of monocotyledonous plants to, 119
Physical stimuli, effect of, on spore germination in Puccinia glumarum, 767–789
Physiologic, forms of bunt of wheat and varietal resistance, 108; specialization, in Gymnosporangium, 111; specialization, in Tilletia, relation to epiphytotics of bunt, 687–694
Phytomonas, beticola, 13–40; beticola, cause of the bacterial-pocket disease of sugar beets, 13–15; beticola, cultural characteristics and serological reactions of, 33–36; beticola, effect of, on the sugar content of sugar beets, 16–18; beticola, experimental work with strains of, 27–28; beticola, overwintering in the galls and the soil, 22–27; beticola, pathogenicity and virulence of R and S types of, 36–39; beticola, serological tests with strains of and other bacterial pathogens, 28–33; malvacearum, agglutination studies on, 1181–1184; **viburni**, n. sp., cause of leaf spot of Viburnum spp., 912; **viburni**, diagnosis, 912; **viburni**, distribution and host range, 909; **viburni**, overwintering of, 909
Phytopathological, note, the relation of leaf blight to sun scald of honeydew melons, 97–98; Society, see American Phytopathological Society
Phytopathologische Zeitschrift, book review, 342
Phytophthora, faberi, monoana, nicotiana, palmivora, parasitica, terrestris, 941–955; heterothallism in omnivora group, 941–945; infestans, late blight of potato, in Peru, 1067
PIERSTORFF, A. L., and H. C. YOUNG, Results with new sulphur dusts for apple-scab control, 131
Pigment, pastid, and chlorophyllase contents of tobacco plants, as influenced by three types of mosaics, 119
Pineapple, development of Heterodera radicicola in roots, 996; Tylenchus similis in, 315; yellow-spot virus of, transmitted by Thrips tabaci, 999
Pineapples, "side rot" of, 867; yellow spot of, 865–880
Pinus ponderosa, extractives, toxicity to Lenzites sepiaria, 927–940
Pisum sativum, infected by Fusarium orthoceros, 797–826; streak transmitted by Thrips tabaci to, 999
Plant extracts and fungi. II. Bean extracts in relation to Colletotrichum lindemuthianum, 124
Plastid pigment and chlorophyllase contents of tobacco plants as influenced by three types of mosaic, 119
Pleospora fructicola (Stemphylium sp.), causing rot of apples in storage, 1141, 1142, 1150
POPP, W., see HANNA, W. F.
Potato, anecrotic mosaic, 595; black leg, relation of seed-corn maggot, 387–406; Corticium vagum on, in Peru, 1069; development of rhizoctonia on, effect of depth of planting and soil moisture on, 105; further studies with psyllid yellows of, 103; late blight, in Peru, 1067; leaf roll, relation between insect and virus, 675–684; powdery mildew, in Peru, 1069; powdery scab, in Peru, 1068; rust, in Peru, 1069; scab and rhizoctonia, the use of disinfectants in fertilizers for the control of, 104; spraying, effect of different pressures and of different types of lime in, 105; tuber rots, in Peru, 1069; tuber, turgescence and rupture of, 701–703; tubers, sprouting, aphids as vectors of leaf roll among, 103–104; viruses, classification, 577–613; wart, in Peru, 1068

Potatoes, commercial, distribution of the latent virus in tubers of, 104; lightning injury of, 213–218
Powdery mildew, injury, nature of, to snap beans in Virginia in 1930, 116; melons resistant to, 113; of red clover, 122
PRIODE, C. N., Target blotch of sugar cane, 41–57
Progress, of Fusarium wilt inside the rhizomes of banana plants, 121; report, fifth, on studies of fall applications of fungicides in relation to apple-scab control, 130
Pseudomonas, cerasi and prunicola, compared with a canker-producing bacterium of stone-fruit trees in California, 1153–1161; cerasi, compared with Ps. prunicola, 1153–1161; prunicola, compared with Ps. cerasi, 1153–1161; prunicola, identity with Bacterium syringae, 1091;
Pseudo-netnecrosis, potato, 604
Puccinia, coronata, sex in, 1001–1040; glumarum, spore germination of, 767–789; glumarum, stripe rust of wheat, in Peru, 1063; graminis, aecium of, nuclear association in, 107; graminis avenae, stem rust of oats, in Peru, 1063–1066; graminis hordei F. and J., synthetic production of, 107; graminis phlei-pratensis, spore germination of, 767–789; graminis, sex in, 1001–1040; graminis tritici, and P. graminis secalis, hybridization between, 106; graminis tritici, control of, by Kolo dust, 347–372; graminis tritici, spore germination of, 767–789; graminis tritici, stem rust of wheat, in Peru, 1063–1066; graminis, uredinial stage of, effect of temperature and light on the development of, 109; helianthi, sex in, 1001–1040; Pittieriana, potato rust, in Peru, 1069; Pringsheimiana, sex in, 1001–1040; purpurea, susceptibility of sorghum to, 525–543; sorghi, heterothallism in, 751–753; triticina, spore germination of, 767–789
Purification, virus, further studies on purification, 118
Pycnial exudate, effect of filtering, 751–753
Pyronema, Bacterium D antibiotic to, 855
Pythium, butleri, cause of a bean wilt, 991–994; cause of a wilt of beans, 115

QUANJER, H. M., Methods of classification of plant viruses, and an attempt to classify and name potato viruses, 577–613

Radiation, ultra-violet, effect of, upon representative species of Fusarium, 124
RAEDER, J. M., and W. M. BEVER, Spore germination of Puccinia glumarum with notes on related species, 767–789
Ramularia, areala, areolate mildew of cotton, in Peru, 1063; magnusiana, causing rot of apples in storage, 1142; sp., causing rot of apples in storage, 1142, 1151
RANKIN, W. HOWARD, New methods for determining rate of decay behind cavity fillings in trees, 126
Raspberries, mosaic of, new or unusual symptoms of, 755–757; "witches' broom" of, 755–757
Raspberry, crown-gall infection on, relation of root-feeding arthropods to, 112; spur blight, 247–288
RAWLINS, T. E., and W. T. HORNE, "Buckskin," a destructive graft-infectious disease of the cherry, 331–335
REA, H. E., see DANA, B. F.
Reaction, cob, and temperature, Basisporium dry rot of dent corn as related to, 129
Red cedar, rusts, pathogenicity of, that occur on apple, 111
REDDY, C. S., Basisporium dry rot of dent corn as related to temperature and cob reaction, 129; see BURNETT, L. C.; see WILSON, J. J.
Relation, between insect and virus in potato leaf roll, 675–684; of pentathionic acid and its constituents to the toxicity of sulphur fungicides, 130; of physiologic specialization in Tilletia to recent epiphytotics of bunt, 687–694; of root-feeding arthropods to crown-gall infection on raspberry, 112; of seed quality, to yielding ability and disease resistance in hybrid strains of dent corn, 128
Relationship of the oat smuts, 109

Resistance, disease, and yielding ability, of hybrid strains of dent corn, relation of seed quality to, 128; in sweet corn, to Diplodia zeae, 128; of Malvaviscus conzattii (arboreus) to Phymatotrichum root rot, 120; of melons to powdery mildew, 113; of monocotyledonous plants to Phymatotrichum root rot, 119; of peas to wound inoculations of Fusarium wilt, 827–833; to wilt, three new varieties of watermelons, 114; varietal, to physiologic forms of bunt of wheat, 108

Results, with new sulphur dusts for apple-scab control, 131

REYNOLDS, E. B., see EZEKIEL, WALTER N.

REYNOLDS, E. S., and B. S. MILLER, Plant extracts and fungi. II. Bean extracts in relation to Colletotrichum lindemuthianum, 124

Rhagoletis pomonella, bacterial rot of apple associated with, 338

Rhizoctonia, and scab, of potato, the use of disinfectants in fertilizers for the control of, 104; bataticola, cause of new disease in maize and beans, 996; crocorum, violet root rot, occurrence, Texas, 557–558; development of, on the potato, effect of depth of planting and soil moisture on, 105

Rhizopus nigricans, causing rot of apples in storage, 1141

Rhodochytrium spilanthidis, the cause of a disease of Hibiscus sabdariffa, 1201–1202

Rhynchosporium, host specialization and parasitism of, 109

Ribes rotundifolium, relation to Kelm Mountain blister-rust infestation, 920

Rice, black point, in Peru, 1067

RICHARDS, B. L., Further studies with psyllid yellows of the potato, 103; see ROBINSON, L. RAY; and C. M. TOMPKINS, The late blight of the sugar beet, 289–314

RIKER, A. J., W. M. BANFIELD, and G. W. KEITT, The development of crown gall, hairy root, and callus under controlled conditions, 110

Ring spot, disease, of tobacco, 891–899; of tobacco, weed hosts, 894; tobacco, transmission of, by seed of Petunia, 225–229

ROBINSON, L. RAY, and B. L. RICHARDS, Anasa wilt of cucurbits, 114

Root rot, development of, in cotton planted at different dates, 120; Phymatotrichum, resistance of Malvaviscus conzattii (arboreus) to, 120; resistance of monocotyledonous plants to Phymatotrichum, 119

ROSE, R. C., see HASKELL, R. J.

Rosette, peach, cross-inoculation experiments with Erigeron yellows, 373–386

Rot, Basisporium, dry, of dent corn as related to temperature and cob reaction, 129; cornstalk and ear, 129

Rots, heart, of living trees, data to be noted in studying, 1199–1200

Rubber dressing for tree wounds, 1089–1091

RUEHLE, GEORGE D., New apple-rot fungi from Washington, 1141–1152

RUNNELS, H. A., see WILSON, J. D.

Rust, fungi, sex in, 1001–1040; of clingstone peaches in California, 133–168; of corn, heterothallism in, 751–753; susceptibility of sorghum to, 525–543

Rusts of cereals, control of, by Kolo dust, 347–372

Rye infected with Tilletia tritici, 437–440

ST. JOHN, R. R., and J. F. TROST, Relation of seed quality to yielding ability and disease resistance in hybrid strains of dent corn, 128

Scab, and rhizoctonia, of potato, the use of disinfectants in fertilizers for the control of, 104; apple, control, results with new sulphur dusts, 131; apple, relation of fall applications of fungicides to control, 130; lima bean, additional data on range and prevalence, 559

Sclerospora, butleri, a new species from Nyasaland, 125; graminicola, oospores, germination of, 441–443; graminicola, physiologic specialization in, 337

Sclerotia, Phymatotrichum omnivorum, laboratory production, 551–556

Sclerotinia, cinerea, fungicidal action of dusts in control, 512–518; sclerotiorum, life history of, with reference to green

rot of apricots, 407–424; sclerotiorum, the cause of a limb blight of figs, 1195–1197

Sclerotium rolfsii, cause of blight of carrots, 1129–1135; geographic distribution of, 1135; host range of, 1136–1138; the cause of a disease of young cotton plants, 1191–1194

SCOTT, C. EMLEN, and GILBERT L. STOUT, Tranzschelia punctata on cultivated anemone in the Santa Clara Valley, 998

SCOTT, G. W., see JAGGER, IVAN C.

Seed, disinfectants, effect of time and rate of application of, on oats and wheat, 127; quality, relation of, to yielding ability and disease resistance in hybrid strains of dent corn, 128; transmission, of cowpea Fusarium wilt, 979–983; transmission, of virus, and correlative studies on the bacteriology of bean mosaic, 116; treatment for damping-off of tomatoes, 105; treatment of flax with Ceresan, 985–989; treatments on seed longevity, effect of, 105

Septorias, two, as a cause of late blight on celery, 115

Serological tests with strains of Phytomonas beticola and other bacterial pathogens, 28–33

Setaria, glauca, Sclerospora graminicola relations, 338; italica, S. graminicola from, 337; magna, S. graminicola oospores from, 337; viridis, S. graminicola oospores from, 337

Shading, effect of, on the rate of development of tomato yellows, 83–87

SHAPOVALOV, M., Graft transmissions of curly top in tomatoes (tomato yellows), 998–999; Growth rate of tomato plants affected by yellows, 106; and J. W. LESLEY, Effect of shading on the rate of development of tomato yellows, 83–87

SHEAR, ELMER V., see COOLEY, J. S.

SHERBAKOFF, C. D., Wheat diseases in Tennessee, 127

"Side rot" of pineapples, 867

SMITH, A. L., and J. R. HOLBERT, Cornstalk rot and ear rot, 129

SMITH, CLAYTON O., Pathogenicity of Bacillus amylovorus on species of Juglans, 219–224; Pseudomonas prunicola and Bacterium citriputeale, 1091

SMITH, GLENN M., and JOHN F. TROST, Resistance in sweet corn to Diplodia zeae, 128

SMITH, RALPH E., Life history of Sclerotinia sclerotiorum with reference to green rot of apricots, 407–424; see GOLDSWORTHY, M. C.

Smut, corn, nodal infection with the organism, 129; flag, a Chinese wheat resistant to, 1202; leaf, on Hystrix hystrix, 241

Smuts, bacteria antibiotic to, 843–863; oat, relationship of, 109

Snap beans, powdery-mildew injury, nature of, in Virginia in 1930, 116

SNELL, WALTER H., The Kelm Mountain blister-rust infestation, 919–921

Sodium bicarbonate, influence on Penicillium italicum and P. digitatum, 169–198

Soil, cultures, sclerotia, Phymatotrichum omnivorum, 551–556; fungi in Colorado, 1073–1081

Solubility of Bordeaux, 231

Sooty-blotch fungus, apple, cultural characters and host range of, 112

SORAUER, PAUL, Handbuch her Pflanzenkrankheiten, Band II, fünfte Auflage, book review, 1093–1094

Sorghum, downy mildew of, in Egypt, 239–240; suscepibility to rust, 525–543

Sorosporium reilianum, bacteria antibiotic to, 844, 885

Specialization, physiologic, in Gymnosporangium, 111

Sphaerella rubina, 255

Spiraea, Vanhouttei, fire blight, natural infections on, 89–91

Spongospora subterranea, powdery scab of potato, in Peru, 1068

Spore germination of Puccinia glumarum, P. graminis phlei-pratensis, P. graminis tritici and P. triticina, 767–789

Sporotrichum, carpogenum, n. sp., causing rot of apples in storage, 1142, 1144–1146; malorum, causing rot of apples in storage, 1142

Spot, fruit, Brooks, 111

Spray materials, water-soluble arsenic in, 131

Spraying, potato, effect of different pressures and of different types of lime in, 105
Sprays, fungicidal action, apple-scab control, 445–523; petroleum-oil, penetration and toxicities of, 130
Spur blight of raspberry, 247–288
STAKMAN, E. C., book review, Sorauer, Handbuch der Pflanzenkrankheiten, 1093–1094; book review, The plant rusts, by Joseph C. Arthur et al., 1205–1207
Staphylea trifolia, corynose twig blight of, 1163–1171
Stellaria media, virulence of attenuated curly-top virus restored by, 123
Stemphylium congestum, causing rot of apples in storage, 1142; var. minor, causing rot of apples in storage, 1142
Sun, blotch, disease of avocado, 235–238; scald, of honeydew melons, result of defoliation by leaf blight, phytopathological note, 97–98
Survey for stinking smut in wheat, 126
Susceptibility of varieties of sugar cane, to target blotch, 55–56
Sweet potato, **Cercospora bataticola**, n. sp., parasite of, in America, 93–96; Tylenchus similis in, 315
Symptomatology, virus diseases, 579–581
Synchytrium endobioticum, potato wart, in Peru, 1068
Synthetic production of Puccinia graminis hordei F. and J., 107

Taphrina Potentillae, cultural and inoculation experiments with, 121
Target blotch of sugar cane, 41–57; distribution and seasonal occurrence of, 54–55; isolation of causal organism, 45–46; symptoms of, 42–45; varietal susceptibility, 55–56
TAUBENHAUS, J. J., see BACH, W. J.; see EZEKIEL, WALTER N.; and WALTER N. EZEKIEL, An anthracnose of the jujube, 1185–1189; and WALTER N. EZEKIEL, Resistance of monocotyledonous plants to Phymatotrichum root rot, 119; and WALTER N. EZEKIEL, A Sclerotinia limb blight of figs, 1195–1197
Teliospores, germination of, in Puccinia glumarum, 774–784; stem-rust, wheat, germination of, 108
Temperature, and cob reaction, Basisporium dry rot of dent corn as related to, 129; and light, effect of, on the development of the uredinial stage of Puccinia graminis, 109; effect of, on infection by **Alternaria longipes**, 649–650; effect of, on sport germination in P. glumarum, 783
Texas, violet root rot in, 557–558
THARP, W. H., A machine for the treatment of small samples of seed grain with dust disinfectants, 1203
Thielaviopsis, probable cause of black scorch of the date palm, 998
Stem-rust teliospores of wheat, germination of, 108
STEWART, DEWEY, Sugar-beet yellows caused by **Fusarium conglutinans** var. **betae**, 59–70
STEWART, F. C., and H. GLASGOW, Aphids as vectors of leaf rot among sprouting potato tubers, 103–104
Stinking smut in wheat, 126
Stone-fruit trees, a bacterium producing canker of, 1153–1161
STOUT, A. B., Biography of Emil Godfred Arzberger, 345–346
STOUT, GILBERT L., see SCOTT, C. EMLEN
Strains of dent corn, relation of seed quality to yielding ability and disease resistance, 128
Strawberries, black root, 1041–1060; crimp, a nematode disease of, 113; verticilliosis of, 996
Strawberry, anthracnose of, 739–744; anthracnose of, caused by **Colletotrichum fragariae**, nov. sp., 113
Streak, in peas, transmission by Thrips tabaci, 999; in tomatoes, 1087–1089
STRONG, FORREST C., and MIRIAM C. STRONG, Black root of strawberries, 1041–1060
STRONG, MIRIAM C., see STRONG, FORREST C.
Studies, with psyllid yellows of the potato, 103
Sugar, beet, late blight, 289; beet, yellows caused by **Fusarium conglutinans** var.

betae, nov. var., 59–70; beets, Cercospora leaf spot, and yield of, comparative value of checking and drilling in the control of, 122; cane, mosaic, in Peru, 1061; cane, target blotch of, 41–57

Sulphur, dusting for the control of cereal rusts, 347–372; dusting for the prevention of a black chaff of wheat, 127; dusts, results with, for apple-scab control, 131; fungicidal action of, hydrogen sulphide as related to, 132; fungicides, toxicity of, relation of pentathionic acid and its constituents to, 130

SUMNER, C. B., see DOOLITTLE, S. P.

THOMAS, H. E., The curing of exanthema by injection of copper sulphate into the tree, 995–996; Plants affected by fire blight, 425–435; Verticilliosis of strawberries, 996

THORNBERRY, H. H., and H. W. ANDERSON, Bacterial leaf spot of Viburnum, 907–912

Three new wilt-resistant varieties of watermelons, 114

Thrips, tabaci, transmission of pea streak by, 999; tabaci, transmission of pineapple yellow-spot virus by, 999; vectors of pineapple yellow spot, 876–879

TILFORD, PAUL E., Corm treatments for gladiolus and calla lily, 121; Effect of different pressures and of different types of lime in potato spraying, 105

Tilletia, levis, en la Argentina, resistencia comparativa del trigo a la, 705–727; levis, on rye, 437–40; tritici, bacteria antibiotic to, 885; tritici, indications of heterothallism in, 107; tritici, on rye, 437–440; tritici, physiologic specialization, in relation to epiphytotics, 687–694

Time, effect of, and rate of application of seed disinfectants on oats and wheat, 127

TISDALE, W. B., and R. F. WADKINS, Brown spot of tobacco caused by **Alternaria longipes** (E. & E.), n. comb., 641–660

Tobacco, black leg of seedlings, 973–978; brown spot, caused by **Alternaria longipes** (E. & E.), n. comb., 641–660; brown spot, control, 658; mosaic, epiphytology of, in North Carolina, 118; mosaic, undescribed symptoms of, in Porto Rico, 117; mosaics, four apparently undescribed, 118; plastid pigment and chlorophyllase contents of, as influenced by three types of mosaic, 119; ring-spot disease, 891–899; ring spot, transmission of, by seed of Petunia, 225–229; virus disease, ring spot, 891–899

Tomato, influence of mosaic infection on yields, 745–749; plants affected by yellows, growth rate of, 106; seed treatment for damping-off, 105; streak, 1087–1089; yellows, effect of shading on the rate of development of, 83–87; yellows, graft transmissions of, 998–999

Tomatoes, Australian spotted wilt of, occurrence of, in Wisconsin, 106; bacterial canker of, 559; curly top in, by graft transmission, 998–999

TOMPKINS, C. M., see RICHARDS, B. L.

Toxicities and penetration of petroleum-oil sprays, 130

Toxicity, of culture filtrates of Fusarium orthoceros, 812–822; of sulphur fungicides, relation of pentathionic acid and its constituents to, 130; of water-soluble extractives of western yellow pine to Lenzites sepiaria, 927–940

Transmission, modes, of viruses, 586–588

Transpiration, relation to wilting of peas with Fusarium wilt, 791–796

Transportation, diseases, effect of solid carbon dioxide upon, 103

Tranzschelia punctata, on anemone, 998

Treatments for corms of gladiolus and calla lily, 121

Tree wounds, rubber dressing for, 1089–1091

Trigo, resistencia comparativa, a la Tilletia levis, 705–727

TROST, J. F., see St. JOHN, R. R.; see SMITH, GLENN M.

Tuber, potato, concentric necrosis, 604; potato, phloem parenchyma necrosis, 604; potato, turgescence and rupture of, 701–703

Tubers, commercial potatoes, distribution of the latent virus in, 104; potato, sprouting, aphids as vectors of leaf roll among, 103–104
Turgescence and rupture of potato tuber, 701–703
Two Septorias as a cause of late blight on celery, 115
Tylenchus, dipsaci, on Hypochaeris radicata, in Hawaii, 759–760; similis, host plants of, 315–322

Ultra-violet-light radiations, effect on vegetative growth of wheat and infection by Erysiphe graminis, 695–699
Undescribed symptoms of mosaic in Porto Rico tobacco, 117
UPPAL, B. N., and M. K. DESAI, Physiologic specialization in Sclerospora graminicola, 337
Uredinial stage, Puccinia graminis, effect of temperature and light on the development of, 109
Urediniospores, germination of, in Puccinia glumarum, 768–774
Use, of fertilizers in reducing losses from pea-root rot caused by Aphanomyces euteiches, 116; of the microscope, book review, 99–101
Ustilago, avenae, hybrid with U. levis, 835–842; levis, hybrid with U. avenae, 835–842; spp., bacteria antibiotic to, 844, 881–890; striaeformis, leaf smut on Hystrix hystrix, 241; zeae, studies, 661–673

VALLEAU, W. D., see JOHNSON, E. M.; and E. M. JOHNSON, The viruses concerned in a natural epiphytotic of streak in tomatoes, 1087–1089
Varietal, susceptibility, distribution and control of yellow dwarf of onions, 123; susceptibility, of onions, to yellow dwarf, 123
Vector, aphids of leaf roll among sprouting potato tubers, 103–104
Vectors, and viruses, relation between, 586–588; possible for yellow spot of pineapple, 873–878
Venturia inaequalis, fungicidal action of dusts and sprays in control of, 445–523
Verbesina alternifolia, a host of ring spot, 894
Verticilliosis of strawberries, 996
VESTAL, EDGAR F., see MELHUS, I. E.
Vetch, nodule production on etiolated seedlings, 1083–1085
Viburnum, bacterial leaf spot of, 907–912; dentatum, bacterial leaf spot of, 909; opulus, bacterial leaf spot of, 909; tomentosum, bacterial leaf spot of, 909
Violet root rot, occurrence, Texas, 557–558
Viroses, classification based on insect-virus relation, 675–684
Virulence of attenuated curly-top restored by Stellaria media, 123
Virus, attenuated, of curly top, virulence of, restored by Stellaria media, 123; bean mosaic, seed transmission of, 116; disease, in peas, transmission by Thrips tabaci, 999; disease, in pineapple, transmission by T. tabaci, 999; disease, ring spot, of tobacco, 891–899; diseases, new, in Porto Rico, 124; diseases, of raspberries, new or unusual symptoms of, 755–757; diseases, symptomatology, 579; latent, distribution of, in tubers of commercial potatoes, 104; potato leaf roll, 675–684; purification, further studies on, 118
Viruses, and vectors, relation between 586–588; concerned in a natural epiphytotic of streak in tomatoes, 1087–1089; cultivation and determination of physical and chemical characteristics, 590–592; methods of classification of plant, 577–613; plant, aphid transmission of, 199–212

WADKINS, R. F., see TISDALE, W. B.
WALKER, E. A., see HASKELL, R. J.
Watermelon, Cercospora citrullina, in Peru, 1070
Watermelons, three new wilt-resistant varieties of, 114
Water-soluble arsenic in spray materials, 131
WEBER, GEORGE F., Blight of carrots caused by Sclerotium rolfsii, with geo-

graphic distribution and host range of the fungus, 1129–1140; Bottom rot of cabbage caused by Corticium vagum, 117; Lightning injury of potatoes, 213–218

WEIMER, J. L., Alfalfa dwarf, a hitherto unreported disease, 71–75; Alfalfa mosaic, 122

WELLMAN, F. L., Progress of Fusarium wilt inside the rhizomes of banana plants, 121

Western yellow-pine extractives, toxicity to Lenzites sepiaria, 927–940

WESTON, WILLIAM H., JR., Comment on criticism by Professor McGinty, 761; Pharmacien Frechou and the germination of Sclerospora oospores, 441–443; **Sclerospora butleri**, a new species from Nyasaland, 125

Wheat, and oats, effect of time and rate of application of seed disinfectants, 127; black chaff of, sulphur dusting for the prevention of, 127; bunt of, physiologic forms of, and varietal resistance, 108; bunt, specialization in relation to epiphytotics, 687–694; Chinese, resistant to flag smut, 1202; comparative resistance to Tilletia levis, in Argentina, 705–727; diseases, in Tennessee, 127; stem rust, in Peru, 1063–1066; -stem-rust teliospores, formed in the greenhouse, germination of, 108; stinking smut in, survey for, 126; stripe rust, in Peru, 1063; varieties, reaction of, to leaf rust, effect of mineral nutrition on, 108

WILCOXON, FRANK, see MCCALLAN, S. E. A.

WILLIAMS, O. B., and H. B. GLASS, Agglutination studies on Phytomonas malvacearum, 1181–1184

WILSON, E. E., A comparison of Pseudomonas prunicola with a canker-producing bacterium of stone-fruit trees in California, 1153–1161

WILSON, J. D., and H. A. RUNNELS, Bordeaux mixture as a factor increasing drouth injury, 729–738

WILSON, J. J., see LAYTON, DUKE V.; and C. S. REDDY, Further studies on the fungicidal efficiency of chemical dusts containing furfural derivatives, 1099–1113

WILSON, J. K., Nodule production on etiolated vetch seedlings, 1083–1085

Wilt, Fusarium, of peas, 791–796; of bean, Pythium butleri cause of, 991–994; of beans, caused by Pythium, 115; of cowpea, 979–983; of peas, caused by F. orthoceros, 791, 797, 827

WINTER, FRANK, see YOUNG, H. C.

Witches' broom, of ocean spray, Holodiscus discolor, 923–925; of ocean spray, transmission by Aphis spiraeae, 924–925; of ocean spray, transmission by grafting, 924; of raspberries, 755–757

WOLF, FREDERICK A., Diaporthe blight of larkspur, 77–81; Epiphytology of tobacco mosaic in North Carolina, 118

WOLFF, S. E., see DANA, B. F.

Wound dressings, water blistering of, 1173–1180

Wounds, effect of, on infection with Fusarium pea wilt, 799

WRIGHT, WILLIAM HARMON, 243

YARWOOD, CECIL, Powdery mildew of red clover, 122

Yellow, dwarf, onions, varietal susceptibility, distribution and control of, 123; spot, of pineapples, 865–880

Yellows, Erigeron, cross-inoculation experiments with peach rosette, 373–386; growth rate of tomato plants affected by, 106; in tomatoes, graft transmissions of, 998–999; of sugar beet caused by **Fusarium conglutinans** var. **betae**, nov. var., 59–70; of sugar beet, etiology of, 63, 66; of sugar beet, importance of, 63; of sugar beet, symptoms of, 59–63; psyllid, studies, of the potato, 103; tomato, effect of shading on the rate of development of, 83–87

Yielding ability and disease resistance of hybrid strains of dent corn, relation of seed quality to, 128

YOUNG, H. C., see PIERSTORFF, A. L.; Water-soluble arsenic in spray materials, 131; and FRANK WINTER, Brooks fruit spot, 111

YOUNG, P. A., Penetration and toxicities of petroleum-oil sprays, 130

YU, T. F., and H. K. CHEN, A Chinese wheat resistant to flag smut, 1202

ZAUMEYER, W. J., Comparative histology of three bacterial blights of beans in the seedling stage, 115; see HARTER, L. L.

ZELLER, S. M., A witches' broom of ocean spray (Holodiscus discolor), 923–925; and J. W. DEREMIAH, An anthracnose of Ledum caused by a species of Elsinoë, 965–972

Zinc chloride, treatment for fire-blight canker, 901–906

ZUNDEL, GEORGE L., New or unusual symptoms of virus diseases of raspberries, 755–757